ELSEVIER

Journal of Magnetism and Magnetic Materials 249 (2002) 524–529

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

# Author index to volume 249

Acher, O., A.-L. Adenot and S. Deprot, Parallel permeability of ferromagnetic wires up to GHz frequencies 264
Adenot, A.-L., see Acher, O. 264
Agudo, P., see Vojtanik, P. 136
Alameda, J.M., see Martín, J.I. 156
Altbir, D., see Knobel, M. 60
Andrejco, R., see Vojtanik, P. 136
Anguita, J.V., see Martín, J.I. 156
Antonov, A.S., N.A. Buznikov, A.B. Granovsky, A.V. Joura, A.L. Rakhmanov and A.M. Yakunin, Domain-walls motion in glass-coated CoFeSiB amorphous microwires 95
Antonov, A.S., see Radkovskaya, A. 113
Antonov, A.S., N.A. Buznikov, A.B. Granovsky, I.T. Iakubov, A.F. Prokoshin, A.L. Rakhmanov and A.M. Yakunin, Magnetization reversal process and nonlinear magneto-impedance in Cu/NiFe and Nb/NiFe composite wires 315
Aranda, P. and J.M. García, Porous membranes for the preparation of magnetic nanostructures 214
Atkinson, R., see Clegg, W. 418
Awano, H., see Verschuren, C.A. 413
Ayuela, A., see Zabala, N. 193

Barandiarán, J.M., see Muñoz, J.L. 319
Barbic, M., Magnetic wires in MEMS and bio-medical applications 357
Barthel, J., see Nielsch, K. 234
Bashev, V., see Brekharya, G. 104
Bauer, L.A., see Chien, C.L. 146
Baylis, C., see Cartwright, G. 442
Bechevet, B., see Chabli, A. 509
Benfield, R.E., see Kröll, M. 241
Bernas, H., see Devolder, T. 452
Bertin, F., see Chabli, A. 509
Bertram, H.N., see Ross, C.A. 200
Betancourt, I., see Garduño, M. 330
Bhagat, S.M., see Dominguez, M. 117
Bhagat, S.M., H. Garcia-Miquel and S.E. Lofland, Ferromagnetic resonance and antiresonance in glass-coated amorphous microwires 274
Blanco, J.M., see Chizhik, A. 27
Blanco, J.M., see Chizhik, A. 99
Blanco, J.M., see Cobeño, A.F. 402
Blanco, J.M., see Gawroński, P. 9
Blanco, M.C., see Rivas, J. 220
Blanco, J.M., see Zhukova, V. 79
Blanco, J.M., see Zhukova, V. 131
Bland, J.A.C., see Vaz, C.A.F. 208
Blau, W.J., see Kröll, M. 241
Bleloch, A., see Vaz, C.A.F. 208
Brekharya, G., N. Kutseva, V. Bashev, V. Larin and A. Torcunov, Stability of amorphous structures of nearly zero magnetostriction Co-rich microwires 104
Brien, V., see Shin, D.H. 422
Briones, F., see Martín, J.I. 156
Brosseau, C., see Talbot, P. 481
Brunetti, L., M. Coisson, P. Tiberto and F. Vinai, Magneto-impedance measurements in amorphous Co-based magnetic wires at high frequency 310
Burdin, M., see Chabli, A. 509
Buznikov, N.A., see Antonov, A.S. 95
Buznikov, N.A., see Antonov, A.S. 315
Byszewski, P., see Chabanenko, V. 475
Byszewski, P., E. Kowalska, M. Popławska, M. Łuczak and Z. Klusek, Molecules for information storage 486

Cai, C.M., see Mohri, K. 351
Carminati, R., see Joulain, K. 462
Cartwright, G., G. Reynolds, C. Baylis, A. Pearce, C. Dix and N. Ogilvie, Electron beam recording of optical disc 442
Cayssol, F., see Ravelosona, D. 170
Chabanenko, V., E. Zubov, P. Byszewski, L. Gładczuk and E. Kowalska, Superparamagnetic properties of $C_{60}Co_3$ complexes 475
Chabli, A., C. Vergnaud, F. Bertin, V. Gehanno, B. Valon, B. Hyot, B. Bechevet, M. Burdin and D. Muyard, Temperature dependence of structural and optical properties of GeSbTe alloy thin films 509
Chappert, C., see Ravelosona, D. 170
Chappert, C., see Devolder, T. 452
Chen, D.-X., see Li, Y.-F. 342
Chien, C.L., L. Sun, M. Tanase, L.A. Bauer, A. Hultgren, D.M. Silevitch, G.J. Meyer, P.C. Searson and D.H. Reich, Electrodeposited magnetic nanowires: arrays, field-induced assembly, and surface functionalization 146

0304-8853/02/$ - see front matter
PII: S0304-8853(02)01268-4

ELSEVIER

Journal of Magnetism and Magnetic Materials 249 (2002) 524–529

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

# Author index to volume 249

Acher, O., A.-L. Adenot and S. Deprot, Parallel permeability of ferromagnetic wires up to GHz frequencies 264
Adenot, A.-L., see Acher, O. 264
Agudo, P., see Vojtanik, P. 136
Alameda, J.M., see Martín, J.I. 156
Altbir, D., see Knobel, M. 60
Andrejco, R., see Vojtanik, P. 136
Anguita, J.V., see Martín, J.I. 156
Antonov, A.S., N.A. Buznikov, A.B. Granovsky, A.V. Joura, A.L. Rakhmanov and A.M. Yakunin, Domain-walls motion in glass-coated CoFeSiB amorphous microwires 95
Antonov, A.S., see Radkovskaya, A. 113
Antonov, A.S., N.A. Buznikov, A.B. Granovsky, I.T. Iakubov, A.F. Prokoshin, A.L. Rakhmanov and A.M. Yakunin, Magnetization reversal process and nonlinear magneto-impedance in Cu/NiFe and Nb/NiFe composite wires 315
Aranda, P. and J.M. García, Porous membranes for the preparation of magnetic nanostructures 214
Atkinson, R., see Clegg, W. 418
Awano, H., see Verschuren, C.A. 413
Ayuela, A., see Zabala, N. 193

Barandiarán, J.M., see Muñoz, J.L. 319
Barbic, M., Magnetic wires in MEMS and bio-medical applications 357
Barthel, J., see Nielsch, K. 234
Bashev, V., see Brekharya, G. 104
Bauer, L.A., see Chien, C.L. 146
Baylis, C., see Cartwright, G. 442
Bechevet, B., see Chabli, A. 509
Benfield, R.E., see Kröll, M. 241
Bernas, H., see Devolder, T. 452
Bertin, F., see Chabli, A. 509
Bertram, H.N., see Ross, C.A. 200
Betancourt, I., see Garduño, M. 330
Bhagat, S.M., see Dominguez, M. 117
Bhagat, S.M., H. Garcia-Miquel and S.E. Lofland, Ferromagnetic resonance and antiresonance in glass-coated amorphous microwires 274
Blanco, J.M., see Chizhik, A. 27
Blanco, J.M., see Chizhik, A. 99
Blanco, J.M., see Cobeño, A.F. 402
Blanco, J.M., see Gawroński, P. 9
Blanco, M.C., see Rivas, J. 220
Blanco, J.M., see Zhukova, V. 79
Blanco, J.M., see Zhukova, V. 131
Bland, J.A.C., see Vaz, C.A.F. 208
Blau, W.J., see Kröll, M. 241
Bleloch, A., see Vaz, C.A.F. 208
Brekharya, G., N. Kutseva, V. Bashev, V. Larin and A. Torcunov, Stability of amorphous structures of nearly zero magnetostriction Co-rich microwires 104
Brien, V., see Shin, D.H. 422
Briones, F., see Martín, J.I. 156
Brosseau, C., see Talbot, P. 481
Brunetti, L., M. Coisson, P. Tiberto and F. Vinai, Magneto-impedance measurements in amorphous Co-based magnetic wires at high frequency 310
Burdin, M., see Chabli, A. 509
Buznikov, N.A., see Antonov, A.S. 95
Buznikov, N.A., see Antonov, A.S. 315
Byszewski, P., see Chabanenko, V. 475
Byszewski, P., E. Kowalska, M. Popławska, M. Łuczak and Z. Klusek, Molecules for information storage 486

Cai, C.M., see Mohri, K. 351
Carminati, R., see Joulain, K. 462
Cartwright, G., G. Reynolds, C. Baylis, A. Pearce, C. Dix and N. Ogilvie, Electron beam recording of optical disc 442
Cayssol, F., see Ravelosona, D. 170
Chabanenko, V., E. Zubov, P. Byszewski, L. Gładczuk and E. Kowalska, Superparamagnetic properties of $C_{60}Co_3$ complexes 475
Chabli, A., C. Vergnaud, F. Bertin, V. Gehanno, B. Valon, B. Hyot, B. Bechevet, M. Burdin and D. Muyard, Temperature dependence of structural and optical properties of GeSbTe alloy thin films 509
Chappert, C., see Ravelosona, D. 170
Chappert, C., see Devolder, T. 452
Chen, D.-X., see Li, Y.-F. 342
Chien, C.L., L. Sun, M. Tanase, L.A. Bauer, A. Hultgren, D.M. Silevitch, G.J. Meyer, P.C. Searson and D.H. Reich, Electrodeposited magnetic nanowires: arrays, field-induced assembly, and surface functionalization 146

0304-8853/02/$ - see front matter
PII: S0304-8853(02)01268-4

Chipara, M.I., R. Skomski and D.J. Sellmyer, Magnetic modes in Ni nanowires 246
Chiriac, H. and T.-A. Óvári, Magnetic properties of amorphous glass-covered wires 46
Chiriac, H. and T.-A. Óvári, Switching field calculations in amorphous microwires with positive magnetostriction 141
Chiriac, H., M. Neagu, M. Vazquez, T.A. Ovari and E. Hristoforou, Stress dependence of the saturation magnetostriction in $Co_{68.15}Fe_{4.35}Si_{12.5}B_{15}$ glass-covered amorphous wires 122
Chiriac, H., see Hristoforou, E. 407
Chizhik, A., A. Zhukov, J.M. Blanco and J. Gonzalez, Magneto-optical investigation of magnetization reversal in nearly zero magnetostrictive Co-rich wire and microwire 27
Chizhik, A., A. Zhukov, J.M. Blanco, R. Szymczak and J. Gonzalez, Interaction between Fe-rich ferromagnetic glass-coated microwires 99
Chizhik, A.B., see Zhukova, V.A. 324
Chumakov, D., see Shin, D.H. 422
Ciureanu, P., I. Khalil, L.G.C. Melo, P. Rudkowski and A. Yelon, Stress-induced asymmetric magneto-impedance in melt-extracted Co-rich amorphous wires 305
Ciureanu, P., see Melo, L.G.C. 337
Ciureanu, P., see Yelon, A. 257
Clegg, W., D. Jenkins, N. Helian, J. Windmill, R. Windmill, R. Atkinson, B. Hendren and C.D. Wright, Scanning laser techniques for dynamic thermo-magnetic recording onto stationary media 418
Cobeño, A.F., J.M. Blanco, A. Zhukov and J. González, Sensitive magnetoelastic properties of glass-coated CoMnSiB amorphous microwires for magnetoelastic sensors 402
Cobeño, A.F., see Zhukova, V. 79
Coisson, M., see Brunetti, L. 310
Colineau, J., see Lehureau, J.-C. 431
Coloma, J.I. and C. Gómez-Polo, Position sensor based on domain wall propagation in bistable amorphous wires 398
Cui, Z., see Vaz, C.A.F. 208

Da Silva, R.B., A.M.H. De Andrade, A.M. Severino, A.D.C. Viegas and R.L. Sommer, Giant magnetoimpedance of Fe- and Co-based amorphous wires up to 2 GHz 288
Dambach, S., see Knittel, J. 437
Dambach, S., see Hofmann, H. 499
De Andrade, A.M.H., see Da Silva, R.B. 288
De Arellano Lopez, A.R., see Zhukova, V. 79
De Jongh, L.J., see Kröll, M. 241
De Wolf, P., Nanometer-scale characterization and manipulation of ferroelectric films using scanning probe microscopy 466
Del Val, J.J., A. Zhukov and J. González, Correlation of magnetic and structural properties of glass-coated Cu-based microwires 126
Demand, M., A. Encinas-Oropesa, S. Kenane, U. Ebels, I. Huynen and L. Piraux, Ferromagnetic resonance studies of nickel and permalloy nanowire arrays 228
Deprot, S., see Acher, O. 264
Desre, P.J., see Hyot, B. 504
Detemple, R., see Wuttig, M. 492
Devolder, T., C. Chappert and H. Bernas, Theoretical study of magnetic pattern replication by $He^+$ ion irradiation through stencil masks 452
Ding, H.F., see Wulfhekel, W. 368
Dix, C., see Cartwright, G. 442
Dolabdjian, C., see Robbes, D. 393
Dominguez, M., J.M. Garcia-Beneytez, M. Vazquez, S.E. Lofland and S.M. Bhagat, Microwave response of amorphous microwires: magnetoimpedance and ferromagnetic resonance 117

Ebels, U., see Demand, M. 228
Encinas-Oropesa, A., see Demand, M. 228
Escoffier, W., see Ross, C.A. 200

Farhoud, M., see Ross, C.A. 200
Ferré, J., see Ravelosona, D. 170
Fidler, J., see Forster, H. 181
Fischer, S.F., see Nielsch, K. 234
Forster, H., T. Schrefl, W. Scholz, D. Suess, V. Tsiantos and J. Fidler, Micromagnetic simulation of domain wall motion in magnetic nano-wires 181
Friedrich, I., see Wuttig, M. 492

García, J.M., A. Thiaville and J. Miltat, MFM imaging of nanowires and elongated patterned elements 163
García, J.M., see Aranda, P. 214
García, K.L., see Garduño, M. 330
García-Arribas, A., see Muñoz, J.L. 319
García-Miquel, H., see Kurlyandskaya, G.V. 34
Garcia-Beneytez, J.M., see Dominguez, M. 117
Garcia-Miquel, H., see Bhagat, S.M. 274
Garduño, M., K.L. García, I. Betancourt and R. Valenzuela, Magnetoimpedance and magnetization processes in amorphous wires under torsion 330
Gawroński, P., V. Zhukova, J.M. Blanco and K. Kułakowski, Dynamics of interacting wires 9
Gehanno, V., see Hyot, B. 504
Gehanno, V., see Chabli, A. 509
Gładczuk, L., see Chabanenko, V. 475
Gómez-Polo, C., see Coloma, J.I. 398
Gonzalez, J., see Chizhik, A. 27
Gonzalez, J., see Chizhik, A. 99
González, J., see Cobeño, A.F. 402
González, J., see Del Val, J.J. 126
González, J., see Larin, V.S. 39
Gonzalez, J., see Zhukova, V. 79
Gonzalez, J., see Zhukova, V. 108

Gonzalez, J., see Zhukova, V. 131
Gonzalez, J., see Zhukova, V.A. 324
Gösele, U., see Nielsch, K. 234
Grandjean, D., see Kröll, M. 241
Granovsky, A.B., see Antonov, A.S. 95
Granovsky, A.B., see Antonov, A.S. 315
Greffet, J.-J., see Joulain, K. 462

Hasegawa, R., Magnetic wire fabrication and applications 346
Haviland, D.B., see Urech, M. 513
Helian, N., see Clegg, W. 418
Hendren, B., see Clegg, W. 418
Henry, Y., see Shin, D.H. 422
Hernando, A., see Kane, S.N. 333
Hernando, B., see Sánchez, M.L. 269
Hertel, R., Computational micromagnetism of magnetization processes in nickel nanowires 251
Hertel, R., see Wulfhekel, W. 368
Hofmann, H., S. Dambach and H. Richter, Blue laser phase change recording system 499
Honkura, Y., Development of amorphous wire type MI sensors for automobile use 375
Hristoforou, E. and H. Chiriac, Position measuring system for applications in field sports 407
Hristoforou, E., see Chiriac, H. 122
Hristoforou, E., Amorphous magnetostrictive wires used in delay lines for sensing applications 387
Hultgren, A., see Chien, C.L. 146
Humphrey, F.B., Nearly 20 years of magnetic amorphous wire—an overview 1
Humphrey, F.B., see Ross, C.A. 200
Huynen, I., see Demand, M. 228
Hwang, M., see Ross, C.A. 200
Hyot, B., L. Poupinet, V. Gehanno and P.J. Desre, Analysis of writing and erasing behaviours in phase change materials 504
Hyot, B., see Chabli, A. 509

Iakubov, I.T., see Antonov, A.S. 315

Jamet, J.-P., see Ravelosona, D. 170
Jenkins, D., see Clegg, W. 418
Joulain, K., J.-P. Mulet, R. Carminati and J.-J. Greffet, Nanoscale radiative heating of a sample with a probe 462
Joura, A.V., see Antonov, A.S. 95

Kaloshkin, S., see Zhukova, V. 108
Kane, S.N., M. Vázquez, S. Puerta and A. Hernando, Influence of thermal annealing on magnetoimpedance in glass-covered Co–B–Si–Mn microwires 333
Karanasos, V., I. Panagiotopoulos and D. Niarchos, Texture and strain in CoPt/Ag nanocomposite films 471
Kazadi Mukenga Bantu, A., see Rivas, J. 220
Kenane, S., see Demand, M. 228
Khalil, I., see Ciureanu, P. 305
Khan, H.R. and K. Petrikowski, Magnetic and structural properties of the electrochemically deposited arrays of Co and CoFe nanowires 458
Khandogina, E.N. and A.L. Petelin, Magnetic, mechanical properties and structure of amorphous glass coated microwires 55
Kim, C.-O., see Kim, C.G. 293
Kim, C.G., C.-O. Kim and S.S. Yoon, The role of exchange coupling on the giant magnetoimpedance of annealed amorphous materials 293
Kirschner, J., see Nielsch, K. 234
Kirschner, J., see Wulfhekel, W. 368
Kläui, M., see Vaz, C.A.F. 208
Klusek, Z., see Byszewski, P. 486
Knittel, J., S. Dambach and H. Richter, Compact optical pickup with a two-wavelength laser diode 437
Knobel, M., see Sinnecker, J.P. 16
Knobel, M., L.C. Sampaio, E.H.C.P. Sinnecker, P. Vargas and D. Altbir, Dipolar magnetic interactions among magnetic microwires 60
Konn, A.M., see Talbot, P. 481
Korenivski, V., see Urech, M. 513
Kowalska, E., see Chabanenko, V. 475
Kowalska, E., see Byszewski, P. 486
Kraus, L., see Sinnecker, J.P. 16
Kröll, M., W.J. Blau, D. Grandjean, R.E. Benfield, F. Luis, P.M. Paulus and L.J. De Jongh, Magnetic properties of ferromagnetic nanowires embedded in nanoporous alumina membranes 241
Kronmüller, H., see Nielsch, K. 234
Kułakowski, K., see Gawroński, P. 9
Kurlyandskaya, G.V., H. García-Miquel, M. Vázquez, A.V. Svalov and V.O. Vas'kovskiy, Longitudinal magnetic bistability of electroplated wires 34
Kurlyandskaya, G.V., see Muñoz, J.L. 319
Kutseva, N., see Brekharya, G. 104

Larin, V., see Brekharya, G. 104
Larin, V., see Zhukova, V. 79
Larin, V.S., A.V. Torcunov, A. Zhukov, J. González, M. Vazquez and L. Panina, Preparation and properties of glass-coated microwires 39
Le Gall, H., see Tiercelin, N. 519
Lehureau, J.-C. and J. Colineau, Multi-layered transmissive disc: an alternative to holography 431
Li, Y.-F., M. Vázquez and D.-X. Chen, GMI effect of $Fe_{73.5-x}Cr_xCu_1Nb_3Si_{13.5}B_9$ amorphous and nanocrystalline soft wires 342
Lofland, S.E., see Bhagat, S.M. 274
Lofland, S.E., see Dominguez, M. 117
Lopez-Diaz, L., see Vaz, C.A.F. 208
López-Pombero, S., see Zhukova, V. 79
López-Quintela, M.A., see Rivas, J. 220
Loxley, P.N., A graphical technique for finding equilibrium magnetic domain walls in multilayer nanowires 187
Łuczak, M., see Byszewski, P. 486

Luis, F., see Kröll, M. 241
Luna, C., see Raposo, V. 22

Machizaud, F., see Shin, D.H. 422
Makhnovskiy, D.P., see Zhukova, V.A. 324
Mapps, D.J., see Zhukova, V.A. 324
Martín, J.I., M. Vélez, R. Morales, J.M. Alameda, J.V. Anguita, F. Briones and J.L. Vicent, Fabrication and magnetic properties of arrays of amorphous and polycrystalline ferromagnetic nanowires obtained by electron beam lithography 156
Mathet, V., see Ravelosona, D. 170
Melo, L.G.C., P. Ciureanu and A. Yelon, Permeability deduced from impedance measurements at microwave frequencies 337
Melo, L.G.C., see Ciureanu, P. 305
Melo, L.G.C., see Yelon, A. 257
Ménard, D., see Yelon, A. 257
Meydan, T., Influence of stress on Matteucci and search coil voltages in amorphous wires 382
Meyer, G.J., see Chien, C.L. 146
Miltat, J., see García, J.M. 163
Moelders, N., see Tang, J. 73
Mohri, K., T. Uchiyama, L.P. Shen, C.M. Cai and L.V. Panina, Amorphous wire and CMOS IC-based sensitive micro-magnetic sensors (MI sensor and SI sensor) for intelligent measurements and controls 351
Monfort, Y., see Robbes, D. 393
Morales, R., see Martín, J.I. 156
Mulet, J.-P., see Joulain, K. 462
Muñoz, J.L., J.M. Barandiarán, G.V. Kurlyandskaya and A. García-Arribas, Magnetoimpedance simulations in wires and tubes 319
Muyard, D., see Chabli, A. 509

Naberhuis, S., Probe-based recording technology 447
Neagu, M., see Chiriac, H. 122
Niarchos, D., see Karanasos, V. 471
Niedoba, H., see Shin, D.H. 422
Nielsch, K., R.B. Wehrspohn, J. Barthel, J. Kirschner, S.F. Fischer, H. Kronmüller, T. Schweinböck, D. Weiss and U. Gösele, High density hexagonal nickel nanowire array 234
Nieminen, R.M., see Zabala, N. 193
Njoroge, W., see Wuttig, M. 492

Ogilvie, N., see Cartwright, G. 442
Ohta, N., see Verschuren, C.A. 413
Ovari, T.A., see Chiriac, H. 122
Óvári, T.-A., see Chiriac, H. 46
Óvári, T.-A., see Chiriac, H. 141

Panagiotopoulos, I., see Karanasos, V. 471
Panina, L., see Larin, V.S. 39
Panina, L.V., Asymmetrical giant magneto-impedance (AGMI) in amorphous wires 278
Panina, L.V., see Mohri, K. 351
Panina, L.V., see Zhukova, V.A. 324
Parrochon, J., see Ross, C.A. 200
Paulus, P.M., see Kröll, M. 241
Pearce, A., see Cartwright, G. 442
Pernod, P., see Tiercelin, N. 519
Perov, N., see Radkovskaya, A. 113
Petelin, A.L., see Khandogina, E.N. 55
Petrikowski, K., see Khan, H.R. 458
Piraux, L., see Demand, M. 228
Pirota, K.R., see Sinnecker, J.P. 16
Pogorelov, A., Ye. Pogoryelov and A. Zhuravlev, Optimization of data storage density and data media quality monitoring in film storage thermal recording devices 428
Pogoryelov, Ye., see Pogorelov, A. 428
Ponomarev, B.K., see Zhukova, V. 131
Popławska, M., see Byszewski, P. 486
Poupinet, L., see Hyot, B. 504
Preobrazhensky, V., see Tiercelin, N. 519
Prida, V.M., see Sánchez, M.L. 269
Prokoshin, A.F., see Antonov, A.S. 315
Puerta, S., see Kane, S.N. 333
Puska, M.J., see Zabala, N. 193

Radkovskaya, A., A.A. Rakhmanov, N. Perov, P. Sheverdyaeva and A.S. Antonov, The thermal and stress effect on GMI in amorphous wires 113
Raebiger, H., see Zabala, N. 193
Rakhmanov, A.A., see Radkovskaya, A. 113
Rakhmanov, A.L., see Antonov, A.S. 95
Rakhmanov, A.L., see Antonov, A.S. 315
Raposo, V., C. Luna and M. Vázquez, AC field induced rotation of magnetostrictive wires 22
Ravelosona, D., F. Cayssol, J. Wunderlich, H.W. Schumacher, C. Chappert, V. Mathet, J. Ferré and J.-P. Jamet, Dynamics of magnetization reversal in a mesoscopic wire 170
Redjdal, M., see Ross, C.A. 200
Reich, D.H., see Chien, C.L. 146
Reynolds, G., see Cartwright, G. 442
Richter, H., see Hofmann, H. 499
Richter, H., see Knittel, J. 437
Rivas, J., A. Kazadi Mukenga Bantu, G. Zaragoza, M.C. Blanco and M.A. López-Quintela, Preparation and magnetic behavior of arrays of electrodeposited Co nanowires 220
Robbes, D., C. Dolabdjian and Y. Monfort, Performances and place of magnetometers based on amorphous wires compared to conventional magnetometers 393
Ross, C.A., M. Hwang, M. Shima, H.I. Smith, M. Farhoud, T.A. Savas, W. Schwarzacher, J. Parrochon, W. Escoffier, H.N. Bertram, F.B. Humphrey and M. Redjdal, Magnetic properties of arrays of electrodeposited nanowires 200

Rothman, J., see Vaz, C.A.F. 208
Rudkowski, P. and J.O. Ström-Olsen, Frequency, magnetic field and size dependence of the magnetic properties of amorphous soft-magnetic fibers 85
Rudkowski, P., see Ciureanu, P. 305

Sánchez, M.L., V.M. Prida, B. Hernando, M. Tejedor and M. Vázquez, Torsion impedance of CoFeSiB amorphous wires 269
Sampaio, L.C., see Knobel, M. 60
Savas, T.A., see Ross, C.A. 200
Schafer, R., see Shin, D.H. 422
Schilling, P.J., see Tang, J. 73
Scholz, W., see Forster, H. 181
Schrefl, T., see Forster, H. 181
Schumacher, H.W., see Ravelosona, D. 170
Schwarzacher, W., see Ross, C.A. 200
Schweinböck, T., see Nielsch, K. 234
Searson, P.C., see Chien, C.L. 146
Sellmyer, D.J., see Chipara, M.I. 246
Sellmyer, D.J., see Skomski, R. 175
Severino, A.M., see Da Silva, R.B. 288
Shen, L.P., see Mohri, K. 351
Sheverdyaeva, P., see Radkovskaya, A. 113
Shima, M., see Ross, C.A. 200
Shin, D.H., H. Niedoba, Y. Henry, F. Machizaud, V. Brien, D. Chumakov, R. Schafer and G. Suran, Properties of amorphous CoZr(RE) (RE = Gd, Sm, Dy) films with various uniaxial anisotropies, prepared by a new process 422
Silevitch, D.M., see Chien, C.L. 146
Sinnecker, E.H.C.P., see Knobel, M. 60
Sinnecker, J.P., K.R. Pirota, M. Knobel and L. Kraus, AC magnetic transport on heterogeneous ferromagnetic wires and tubes 16
Skomski, R., H. Zeng and D.J. Sellmyer, Incoherent magnetization reversal in nanowires 175
Skomski, R., see Chipara, M.I. 246
Smith, H.I., see Ross, C.A. 200
Sommer, R.L., see Da Silva, R.B. 288
Speaks, R., see Vaz, C.A.F. 208
Spinu, L., see Tang, J. 73
Srikanth, H., see Tang, J. 73
Steierl, G., see Wulfhekel, W. 368
Ström-Olsen, J.O., see Rudkowski, P. 85
Suess, D., see Forster, H. 181
Sun, L., see Chien, C.L. 146
Suran, G., see Shin, D.H. 422
Svalov, A.V., see Kurlyandskaya, G.V. 34
Szymczak, R., see Chizhik, A. 99

Talbot, P., A.M. Konn and C. Brosseau, Electromagnetic characterization of fine-scale particulate composite materials 481
Tanase, M., see Chien, C.L. 146
Tang, J., K.-Y. Wang, L. Spinu, H. Srikanth, P.J. Schilling and N. Moelders, Giant magnetoresistance, structural and magnetic properties of glass-coated Fe–Ni–Cu microwires 73
Tejedor, M., see Sánchez, M.L. 269
Thiaville, A., see García, J.M. 163
Thomas, I., see Wuttig, M. 492
Tiberto, P., see Brunetti, L. 310
Tiercelin, N., J.B. Youssef, V. Preobrazhensky, P. Pernod and H. Le Gall, Giant magnetostrictive superlattices: from spin reorientation transition to MEMS. Static and dynamical properties 519
Torcunov, A., see Brekharya, G. 104
Torcunov, A.V., see Larin, V.S. 39
Tsiantos, V., see Forster, H. 181

Uchiyama, T., see Mohri, K. 351
Urech, M., V. Korenivski and D.B. Haviland, Magnetoresistance in Co/$AlO_x$/Co tunnel junction arrays 513
Usov, N.A., Stress distribution and domain structure in amorphous ferromagnetic wires 3

Valenzuela, R., The analysis of magnetoimpedance by equivalent circuits 300
Valenzuela, R., see Garduño, M. 330
Valon, B., see Chabli, A. 509
Van Kesteren, H.W., see Verschuren, C.A. 413
Van Rompaey, B., see Verschuren, C.A. 413
Varga, R., see Vojtanik, P. 136
Vargas, P., see Knobel, M. 60
Vas'kovskiy, V.O., see Kurlyandskaya, G.V. 34
Vaz, C.A.F., M. Kläui, L. Lopez-Diaz, J. Rothman, A. Bleloch, Z. Cui, R. Speaks and J.A.C. Bland, Mesoscopic FCC Co ring magnets 208
Vazquez, M., see Chiriac, H. 122
Vazquez, M., see Dominguez, M. 117
Vázquez, M., see Kane, S.N. 333
Vázquez, M., see Kurlyandskaya, G.V. 34
Vazquez, M., see Larin, V.S. 39
Vázquez, M., see Li, Y.-F. 342
Vázquez, M., see Raposo, V. 22
Vázquez, M., see Sánchez, M.L. 269
Vázquez, M., see Velázquez, J. 89
Vélez, M., see Martín, J.I. 156
Velázquez, J. and M. Vázquez, Spatial and temporal distributions of magnetisation in arrays of interacting bistable microwires 89
Vergnaud, C., see Chabli, A. 509
Verschuren, C.A., B. Van Rompaey, H.W. Van Kesteren, H. Awano and N. Ohta, MAMMOS readout: resolution and power margin 413
Vicent, J.L., see Martín, J.I. 156
Viegas, A.D.C., see Da Silva, R.B. 288
Vinai, F., see Brunetti, L. 310
Vojtanik, P., R. Varga, R. Andrejco and P. Agudo, The evolution of magnetic properties of $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ microwires during the devitrification process 136

Wang, K.-Y., see Tang, J. 73
Wehrspohn, R.B., see Nielsch, K. 234
Weidenhof, V., see Wuttig, M. 492
Weiss, D., see Nielsch, K. 234
Windmill, J., see Clegg, W. 418
Windmill, R., see Clegg, W. 418
Wöltgens, H.-W., see Wuttig, M. 492
Wright, C.D., see Clegg, W. 418
Wulfhekel, W., R. Hertel, H.F. Ding, G. Steierl and J. Kirschner, Amorphous, low magnetostriction tips for spin-polarized scanning tunneling microscopy 368
Wunderlich, J., see Ravelosona, D. 170
Wuttig, M., R. Detemple, I. Friedrich, W. Njoroge, I. Thomas, V. Weidenhof, H.-W. Wöltgens and S. Ziegler, The quest for fast phase change materials 492

Yakunin, A.M., see Antonov, A.S. 95
Yakunin, A.M., see Antonov, A.S. 315
Yelon, A., L.G.C. Melo, P. Ciureanu and D. Ménard, High-frequency behavior of magnetically soft wires 257
Yelon, A., see Ciureanu, P. 305
Yelon, A., see Melo, L.G.C. 337
Yoon, S.S., see Kim, C.G. 293
Youssef, J.B., see Tiercelin, N. 519

Zabala, N., M.J. Puska, A. Ayuela, H. Raebiger and R.M. Nieminen, Electronic structure and prediction of magnetism in metallic nanowires 193
Zaragoza, G., see Rivas, J. 220
Zeng, H., see Skomski, R. 175
Zhukov, A., see Chizhik, A. 27
Zhukov, A., see Chizhik, A. 99
Zhukov, A., see Cobeño, A.F. 402
Zhukov, A., see Del Val, J.J. 126
Zhukov, A., see Larin, V.S. 39
Zhukov, A., see Zhukova, V. 79
Zhukov, A., see Zhukova, V. 108
Zhukov, A., see Zhukova, V. 131
Zhukov, A.P., see Zhukova, V.A. 324
Zhukova, V., A.F. Cobeño, A. Zhukov, A.R. De Arellano Lopez, S. López-Pombero, J.M. Blanco, V. Larin and J. Gonzalez, Correlation between magnetic and mechanical properties of devitrified glass-coated $Fe_{71.8}Cu_1Nb_{3.1}Si_{15}B_{9.1}$ microwires 79
Zhukova, V., see Gawroński, P. 9
Zhukova, V., S. Kaloshkin, A. Zhukov and J. Gonzalez, DSC studies of finemet-type glass-coated microwires 108
Zhukova, V., A. Zhukov, J.M. Blanco, J. Gonzalez and B.K. Ponomarev, Switching field fluctuations in a glass-coated Fe-rich amorphous microwire 131
Zhukova, V.A., A.B. Chizhik, J. Gonzalez, D.P. Makhnovskiy, L.V. Panina, D.J. Mapps and A.P. Zhukov, Effect of annealing under torsion stress on the field dependence of the impedance tensor in amorphous wires 324
Zhuravlev, A., see Pogorelov, A. 428
Ziegler, S., see Wuttig, M. 492
Zubov, E., see Chabanenko, V. 475

ELSEVIER

Journal of Magnetism and Magnetic Materials 249 (2002) 530–531

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

# Subject index to volume 249

Ab initio calculations 193
Activation energy 104
Adhesion 428
AFM 466
Al 428
$AlO_x$ 513
Amorphous 293
Amorphous alloys 113
Amorphous and nanocrystalline materials 22
Amorphous and nanocrystalline wires 342
Amorphous fibers 85
Amorphous films 422
Amorphous glass-covered wires 46
Amorphous magnetic materials 79
Amorphous magnetic wires 1, 382, 393
Amorphous microwires 60, 95, 99, 113, 141, 274
Amorphous system wires 27
Amorphous systems—soft magnetic 122
Amorphous systems—wires 122, 398
Amorphous wires 3, 117, 264, 278, 288, 310, 375
Amorphous wires and films 351
Anisotropy 146, 175
Arrays of Co nanowires 220
Asymmetric GMI 293
Asymmetrical magneto-impedance effect 324
Atomic force microscopy 492
Automobile 375

Bias-field 293
Bistable wires 89
Blue laser recording 499

CD 437, 442
Cluster 475
Co 428, 513
Cobalt 368
Coercivity 175
Collateral damage 452
Collective excitations 462
Composite materials 481
Composite wires 113, 315
Computational micromagnetism 251
Computer modeling 163
Computer simulation 319
Conformation 486
Cooling rate 104
Copy window 413
Coupled map lattices 9
Cr 428
Crosstalk 431
Crystallization 492
Crystallographic structure 241
Curie temperature 108

Density-functional theory 193
Dimension effect 55
Dipolar interactions 60
Domain expansion 413
Domain structure 3, 288
Domain wall motion 181
Domain wall velocity 181
Domain walls 95, 170, 187, 208
DSC 108
DVD 437, 442

e-beam 442
E-beam lithography 156
Effect of stresses 382
Electrodeposition 200, 458
Electron 442
Electron states 193
Electroplated wire 34
Ellipsometry 509
Equivalent circuits 300
Exchange coupling 293
Extraordinary Hall effect 170

FCC Co 208
Fe 428
Fe–Ni–Cu 73
Ferroelectric memories 466
Ferromagnetic resonance 117, 228, 246, 257, 274
Field sports 407
Film-substrate structure 428
Finite element method 251
Fluctuation 9
Focused recording 431
Fractals 89
Fullerene adducts 486
Fullerene + Co 475

$\gamma$-$Fe_2O_3$ 481
$Ge_2Sb_2Te_5$ 492
$Ge_4Sb_1Te_5$ 492
Giant magnetic impedance 113
Giant magnetoimpedance 73, 288, 342
Giant magnetoresistance 73
Glass covered microwire 333
Glass-coated microwires 39, 108, 126, 136
Glass-covered wires 310
GMI effect 402

Hard drive 442
HDD 442
HDDVD 442
High anisotropy 471
High-frequency magneto-impedance 310
History of wire 1
Hysteresis 22
Hysteresis loops 27, 99

Impedance tensor 324
Induced anisotropies 324, 342
Information storage 447
Interacting wires 9
Internal stresses 39
Ion irradiation 452
IPL 452

Jitter 499

Kerr effect 27
Kinetics 492

Large Barkhausen jump 131
Laser pulse 428
Linear sensing 324

Magnetic anisotropy 241, 246
Magnetic bistability 34, 39, 131, 402

0304-8853/02/$ - see front matter
PII: S0304-8853(02)01269-6

Magnetic characterization 126
Magnetic dipolar interactions 220, 234
Magnetic force microscopy 163, 234
Magnetic imaging 368
Magnetic manipulation 146, 357
Magnetic materials 16, 214, 387
Magnetic nano-wires 181
Magnetic nanostructures 163, 513
Magnetic nanowires 228, 251
Magnetic patterning 452
Magnetic permeability 337
Magnetic properties 79, 85, 382
Magnetic recording—perpendicular 471
Magnetic sensors 305
Magnetic separation 357
Magnetic tweezers 357
Magnetic ultrathin films 170
Magnetic viscosity 175
Magnetic wires 16, 269, 346, 357
Magnetisation reversal 241
Magnetization 9, 46, 122, 458
Magnetization dynamics 251
Magnetization processes 34, 330
Magnetization reversal 95, 156, 187, 315, 398
Magneto-impedance 278, 305
Magneto-impedance effect 324
Magneto-impedance spectroscopy 257
Magneto-optical Kerr effect 99
Magneto-optical recording 413
Magnetoabsorption 274
Magnetocrystalline anisotropy 220
Magnetoelastic anisotropy 46
Magnetoelastic effects 122, 305
Magnetoelastic sensors 402
Magnetoelastic waves 22
Magnetoimpedance 16, 117, 269, 300, 319, 330, 333, 337, 351
Magnetometer 393
Magnetoresistance 513
Magnetostatic interaction 89
Magnetostriction 351, 387
Magnetostriction—zero 122
Magnetostrictive delay lines 407
Magnetostrictive unimorph 519
Magnetostrictive wires 22
MAMMOS 413
Mastering 442
Mechanical properties 79
MEMS 357, 447
Metastable nanocrystalline phases 126
Method of fabrication 1
MI chip 375
Micro-coil 357
Micro-meter 357
Micromagnetic calculations 208
Micromagnetics 181, 200
Microwave frequency 337
Microwave permeability 264
Microwire amorphous 55
Microwires 73, 402
MI sensor 375
Molecular modeling 475
Multilayer 431, 519
Multilayer nanowire 187

Nanocrystalline materials 136
Nanophases 481
Nanostructures 156, 214
Nanotubes 214
Nanowire arrays 146, 458
Nanowires 175, 200, 214, 234, 241, 246
Nickel 234
Nonlinearity 519

Optical disk 431, 442, 499
Optical pickup 499
Optical properties 509
Optical storage 431

Patterned media 208
Permeability 481
Permeameter 264
Permittivity 481
Perpendicular anisotropy 170
Phase change 499, 509
Phase change recording 492, 504
Porous alumina 234
Position sensors 407
Power margin 413
Probe 447
Probe microscopes 462
Properties 55
Push pull 431

Quantum-wires 193

Radiative transfer 462
Recorder 442
Recording 447
Resolution 413
Ring magnets 208

Scanning tunneling microscopy 368, 486
Sensor position 398
Sensors 387
Short-range order 104
Skin effect 351
SLM 418
Soft magnetic materials 319, 346
Spin reorientation transition 519
Spin waves 246
Spontaneous magnetization 246
Stencil masks 452
Stoner–Wohlfarth model 315
Stress distribution 3
Stresses 46
Structural relaxation 108
Sub-harmonic excitation 519
Superparamagnetism 475
Superplasticity 55
Surface functionalization 146
Surface impedance tensor 278
Switching field 9, 141
Switching field fluctuations 131

Temperature dependence 113, 509
Temperature stability 375
Template fabrication 146
Template synthesis 214
Texture 471
Thermal activation 187
Thermal and thermodynamical behaviour 504
Thermal annealing 333
Thermomagnetic recording 418
Thermophysical characteristics 428
Time dependence 9
Torsion 330
Torsion impedance 269
Tracking 431
Transformation 492
Transition metals 175
Tunnel junction array 513
TWIN 437

Uniaxial anisotropy 422

Wire geometry 1

XANES 73
X-ray reflection 492

ZnO 481